

# أبرز التغييرات في النظام للصيدلي

## System Changes for Physicians

Version 3.2



للحصول على أفضل أداء، لموقع وصفتي الإلكتروني نوصي باستخدام المتصفحات التالية:

(Microsoft Edge, Google Chrome, Firefox)

علماً بأن Internet Explorer غير مدعوم كلياً بسبب توقف دعم شركة مايكروسوفت لهذا المتصفح.

## أبرز التغييرات:

### - إظهار الدواء البديل:

عند تنزيل الوصفة الطبية الإلكترونية واختيار الأدوية التجارية من القائمة المنسدلة للأدوية العلمية الموصوفة، سترى خياراً لإظهار الأدوية البديلة التي يمكنك تحديدها في حالة رغبتك في تقديم دواء بديل للمريض بدلاً من الأدوية المتاحة في القائمة.

في حالة اختيار أي من الأدوية البديلة المتاحة يتم طلب إدخال سبب التبديل كما في الشكل 1.

(الشكل 1)

الأسماء العلمية يمكن أن يظهر لأدويتها المتاحة بالقائمة بدائل في الحالات التالية:

- تطابق المادة الفعالة
- تطابق طريقة أخذ الدواء

الأسماء العلمية لن يظهر لأدويتها المتاحة بالقائمة بدائل في الحالات التالية:

- كريمات ذات تراكيز مختلفة
- المراهم. (إذا كان المادة الفعالة وطريقة أخذ الدواء هي نفس المراهم، فيمكن أن تكون بديلاً للكريمات إذا تم فحص التنبيه على مستوى الاسم العلمي للدواء).
- إذا كان الدواء له تعليمات خاصة.

- في القائمة المحددة تظهر أسماء الأدوية التجارية المطابقة لسلم الدواء العلمي. إذا لم يظهر أي من هذه الأدوية للصيدلي فنه يمكن للصيدلي صرف الدواء البديل كما في (الشكل ٢)

الادوية (1)

الدواء: **bisOPROLOL 5 mg Film coated tablets** الاسم العلمي للدواء: **bisOPROLOL 5 mg Film coated tablets** (ORAL) Code: 133804-039-074

الرجاء اختيار الدواء التجاري:

اختر الدواء:

تظهر الدواء البديل

**bisdolol (bisOPROLOL) 5 mg Film coated tablets** (oral)  
S, BLISTER PACK, JAZEERA PHARMACEUTICAL INDUSTRIES '30  
(JPI)- KSA Code: 0006-133804-03901

**selecta (bisOPROLOL) 5 mg Film coated tablets** (oral)  
S, BLISTER PACK, JAMJOOIM PHARMACEUTICALS '30  
COMPANY - KSA Code: 0004-133804-03901

**bisdolol (bisOPROLOL) 5 mg Film coated tablets** (oral)  
S, BLISTER PACK, ALTERNATIVE Code: 0257-133804-'30  
03901

**biscalor (bisOPROLOL) 5 mg Film coated tablets** (oral)  
S, BLISTER PACK, ALTERNATIVE Code: 0212-133804-'30  
03901

**cancor (bisOPROLOL) 5 mg Film coated tablets** (oral)  
S, BLISTER PACK, ALTERNATIVE Code: 0192-133804-'30  
03901

تعليمات الطبيب: 1: Take 5 MG(s) ORAL, Time(s) After Breakfast per Day For 30 Day(s). تناول 5 ميلليجرام عن طريق الفم، 1 مرة (ات) بعد الإفطار كل يوم لمدة 30 يوم (أيام).

الكمية: 150  
الموصوفة: 150 ميلليجرام

علب ميلليجرام

لا ينطبق

تعليمات الصيدلي

(الشكل ٢)

- في حال احتاج الصيدلي الى إظهار الأدوية البديلة المرتبطة مع اسم الدواء العلمي، فيمكنه النقر فوق صندوق الاختيار لإظهار الدواء البديل كما في الشكل ٣

الادوية (1)

الدواء: **bisOPROLOL 5 mg Film coated tablets** الاسم العلمي للدواء: **bisOPROLOL 5 mg Film coated tablets** (ORAL) Code: 133804-039-074

الرجاء اختيار الدواء التجاري:

اختر الدواء:

تظهر الدواء البديل

**bisdolol (bisOPROLOL) 5 mg Film coated tablets** (oral)  
S, BLISTER PACK, JAZEERA PHARMACEUTICAL INDUSTRIES '30  
(JPI)- KSA Code: 0006-133804-03901

**selecta (bisOPROLOL) 5 mg Film coated tablets** (oral)  
S, BLISTER PACK, JAMJOOIM PHARMACEUTICALS '30  
COMPANY - KSA Code: 0004-133804-03901

**bisdolol (bisOPROLOL) 5 mg Film coated tablets** (oral)  
S, BLISTER PACK, ALTERNATIVE Code: 0257-133804-'30  
03901

**biscalor (bisOPROLOL) 5 mg Film coated tablets** (oral)  
S, BLISTER PACK, ALTERNATIVE Code: 0212-133804-'30  
03901

**cancor (bisOPROLOL) 5 mg Film coated tablets** (oral)  
S, BLISTER PACK, ALTERNATIVE Code: 0192-133804-'30  
03901

**selecta 2.5 mg Film coated tablets** (oral)  
S, BLISTER PACK, JAMJOOIM PHARMACEUTICALS '30  
COMPANY - KSA Code: 0004-133803-03901

**bisdolol 2.5 mg Film coated tablets** (oral)  
S, BLISTER PACK, ALTERNATIVE Code: 0257-133803-'30  
03901

**cancor cor 2.5 mg Film coated tablets** (oral)  
S, BLISTER PACK, ALTERNATIVE Code: 0192-133803-'30  
03901

تعليمات الطبيب: 1: Take 5 MG(s) ORAL, Time(s) After Breakfast per Day For 30 Day(s). تناول 5 ميلليجرام عن طريق الفم، 1 مرة (ات) بعد الإفطار كل يوم لمدة 30 يوم (أيام).

الكمية: 150  
الموصوفة: 150 ميلليجرام

علب ميلليجرام

لا ينطبق

تعليمات الصيدلي

(الشكل ٣)

- كما نود التوضيح أن التعليمات بنيت بناء على الدواء التجاري المختار من قبل الصيدلي والكمية تحسب بناء على الدواء التجاري المختار كما في الشكل ٤

الادوية (١)						
الدواء	تعليمات	الوحدة	الكمية	المدة	رقم الحزمة	دواعي الاستخدام
<p>✓ اسم الدواء التجاري: <b>concor cor (bisOPROLOL) 5 mg Film coated tablets (oral) 30'S, BLISTER PACK, JAZEERA PHARMACEUTICAL INDUSTRIES (JPI)- KSA Code: 0006-133804-03901</b></p> <p>تغيير الدواء</p> <p>مبررات تغيير الدواء</p> <p>اكتب هنا المبررات..</p> <p>الاسم العلمي الموصوف: <b>bisOPROLOL 5 mg Film coated tablets (ORAL) Code: 133804-039-074</b></p> <p>إعادة الصرف: 0</p>	<p>تعليمات الطبيب: <b>Take 1 TABLET(s) ORAL, 1 Time(s) After Breakfast per Day For 30 Day(s)</b></p> <p>تناول 1 قرص عن طريق الفم، مرة (ات) بعد الإفطار كل يوم لمدة 30 يوم (أيام).</p> <p>تعليمات الصيدلي</p>	الوحدة الموصوفة: قرص	<p>1</p> <p>1 علبة = 30 قرص</p> <p>الكمية الموصوفة: 150 ميلليجرام</p>	30		لا ينطبق
الادوية (٢)						
الدواء	تعليمات	الوحدة	الكمية	المدة	رقم الحزمة	دواعي الاستخدام
<p>✓ اسم الدواء التجاري: <b>concor cor 2.5 mg Film coated tablets (oral) 30'S, BLISTER PACK, ALTERNATIVE Code: 0192-133803-03901</b></p> <p>تغيير الدواء</p> <p>سبب اختيار دواء اخر</p> <p>اختار سبب اختيار دواء اخر</p> <p>مبررات تغيير الدواء</p> <p>اكتب هنا المبررات..</p> <p>الاسم العلمي الموصوف: <b>bisOPROLOL 5 mg Film coated tablets (ORAL) Code: 133804-039-074</b></p> <p>إعادة الصرف: 0</p>	<p>تعليمات الطبيب: <b>Take 2 TABLET(s) ORAL, 1 Time(s) After Breakfast per Day For 30 Day(s)</b></p> <p>تناول 2 قرص عن طريق الفم، مرة (ات) بعد الإفطار كل يوم لمدة 30 يوم (أيام).</p> <p>تعليمات الصيدلي</p>	الوحدة الموصوفة: قرص	<p>2</p> <p>2 علبة = 60 قرص</p> <p>الكمية الموصوفة: 150 ميلليجرام</p>	30		لا ينطبق

(الشكل ٤)

- لبد للصيدلني من اختيار السبب من أجل اختيار الدواء البديل كما في الشكل ٥

الادوية (١)	
الدواء	
<p>✓ اسم الدواء التجاري: <b>concor cor 2.5 mg Film coated tablets (oral) 30'S, BLISTER PACK, ALTERNATIVE Code: 0192-133803-03901</b></p> <p>تغيير الدواء</p> <p>سبب اختيار دواء اخر</p> <p>اختار سبب اختيار دواء اخر</p> <p>أخرى</p> <p>المريض يفضل هذا الشكل الدوائي</p> <p>سحبت هيئة الغذاء و الدواء هذا الدواء من السوق</p> <p>لا يستطيع المريض ابتلاع الأقراص أو الكبسولات</p> <p>الشكل الدوائي المطلوب غير متوفر</p> <p>الجرعة المطلوبة غير متوفرة</p>	

(الشكل ٥)

- كما يمكن للطبيب إضافة تعليماته و بإمكان الصيدلاني أيضاً إضافة تعليماته، والكمية يعبر عنها عن طريق العلبة التي يصفها الطبيب كما في الشكل ٦

الدواء	تعليمات	الوحدة	الكمية	المدة	رقم الحزمة	دواعي الاستخدام
rofenoc 1% Gel (topical) 506, TUBE PACK, ✓ اسم الدواء التجاري: SPIMACO- KSA Code: 0002-149918-04301	تعليمات الطبيب: ادهن موضعياً مرتين يومياً +تعليمات الصيدلي	علب الوحدة الموصوفة: الأنبوب/ماسوره	2 (2 علب = 2 الأنبوب/ماسوره) الكمية الموصوفة: 2 الأنبوب/ماسوره	14		لا ينطبق

(الشكل ٦)

- نلاحظ في الشكل ٧ أن التعليمات تبني بناء على الدواء التجاري المختار، وتحسب الكمية أيضاً على نفس الدواء. مع ملاحظة وجود الدواء البديل الذي يمكن صرفه أيضاً.

الدواء	تعليمات	الوحدة	الكمية	المدة	رقم الحزمة	دواعي الاستخدام
zovirox 200 mg/5ml Suspension (oral) ✓ اسم الدواء التجاري: 125ML, BOTTLE PACK, SAUDI INTERNATIONAL TRADING COMPANY LTD (SITCO)- KSA Code: 0040-102409-11101	تعليمات الطبيب: Take 20 MILLILITER (ML) (s) ORAL, 4 Time(s) After Meals per Day .For 10 Day(s) تناول 20 مليلتراً ملل عن طريق الفم، 4 مرة (ات) بعد الطعام كل يوم لمدة 10 يوم (أيام). +تعليمات الصيدلي	علب الوحدة الموصوفة: زجاجة	7 (7 علب = 7 زجاجة) الكمية الموصوفة: 32000 ميليلتر	10		لا ينطبق
zovirox 200 mg/5ml Suspension (oral) 125ML, BOTTLE PACK, SAUDI INTERNATIONAL TRADING COMPANY LTD (SITCO)- KSA Code: 0040-102409-11101	أظهر الدواء البديل ✓					
virstat 200 mg Tablets (oral) S, BLISTER PACK, CIGALAH GROUP- KSA Code: 0031-30 102419-11701						
clovir 200 mg Tablets (oral) S, BLISTER PACK, ALTERNATIVE Code: 0079-102419-1170125						
zovirox 200 mg Tablets (oral) S, BLISTER PACK, ALTERNATIVE Code: 0086-102419-1170125						
zovirox 800 mg Tablets (oral) S, BLISTER PACK, SAUDI INTERNATIONAL TRADING COMPANY LTD (SITCO)- KSA Code: 0064-102401-11701						
zovirox 800 mg Tablets (oral) 35'S, BLISTER PACK, SAUDI INTERNATIONAL TRADING COMPANY LTD (SITCO)- KSA Code: 0064-102401-11701	تعليمات الطبيب: Take 1 TABLET(s) ORAL, 4 Time(s) After Meals per Day For 10 Day(s) تناول 1 قرص عن طريق الفم، 4 مرة (ات) بعد الطعام كل يوم لمدة 10 يوم (أيام). +تعليمات الصيدلي	علب الوحدة الموصوفة: قرص	2 (2 علب = 70 قرص) الكمية الموصوفة: 32000 ميليلتر	10		لا ينطبق
zovirox 800 mg Tablets (oral) 35'S, BLISTER PACK, SAUDI INTERNATIONAL TRADING COMPANY LTD (SITCO)- KSA Code: 0064-102401-11701	سبب اختيار دواء آخر					
aciclovir 200 mg/5ml Suspension (ORAL) Code: 102409-111-074	الشكل الدوائي المطلوب غير متوفر					

(الشكل ٧)

من جهة الصيدلاني، الأدوية المرنة لديها نفس التعليمات كما كتبها الطبيب بالتعليمات الخاصة. ويمكن للصيدلاني إضافة تعليماته الخاصة لتطبع على الملصق. لاحظ أن الكمية أيضاً تظهر على شكل علبة كما في الشكل ٨

(الشكل ٨)

- النظام يحسب تلقائياً الجرعة بناء على حجم الوحدة ويبنى التعليمات والكمية بناء على الدواء التجاري المختار كما في الشكل ٩

(الشكل ٩)

في حال كان الدواء الموصوف له نهائي التقسيم والدواء التجاري غير قابل للتقسيم تظهر الرسالة كما في الشكل ١٠

(الشكل ١٠)

في حال كان الدواء الموصوف له نهائي التقسيم والدواء التجاري يقسم الى ارباع تظهر الرسالة كما في الشكل ١١

(الشكل ١١)

في حال كان الدواء الموصوف له نهائي التقسيم والدواء التجاري يقسم للنصف تظهر الرسالة كما في الشكل ١٢

(الشكل ١٢)

في حال كان الدواء الموصوف يقبل التقسيم إلى النصف والدواء التجاري لا يقبل التقسيم تظهر الرسالة كما في الشكل ١٣



(الشكل ١٣)

في حال كان الدواء الموصوف يقبل التقسيم لأرباع والدواء التجاري يقسم إلى النصف تظهر الرسالة كما في الشكل ١٤.



(الشكل ١٤)


في حال كان الدواء الموصوف يقبل التقسيم للربيع والدواء التجاري لا يقبل التقسيم تظهر الرسالة كما في الشكل ١٥



(الشكل ١٥)

### - تغيير تعليمات الدواء:

عند الاختيار من بين الأدوية التجارية المتاحة للأدوية الموصوفة سيلاحظ أن تعليمات جرعة الدواء تختلف حسب الشكل الصيدلاني لجرعة التجاري المختار كما في الشكل ١٦



(الشكل ١٦)

### - وصفة ورقية:

تستخدم الوصفات الورقية كخطة طوارئ كلما دعت الحاجة وستتمكن بصفتك صيدليًا من صرف الوصفات الطبية الورقية كلما تم تفعيل الخاصية للمستخدمين بواسطة مسؤولي النظام.

بمجرد تفعيل الخاصية، ستظهر في الخيارات الجانبية للصيدلي من ضمن خيارات وصفات الصيدلية الإلكترونية على النحو التالي كما في الشكل ١٧



(الشكل ١٧)

- من خلال خيار الوصفة الورقية، ستمكن من صرف الأدوية المطلوبة حسب الوصفة الورقية المقدمة عن طريق إضافة جميع بيانات النموذج المطلوبة ثم النقر فوق صرف الوصفة.

### تفاصيل الوصفة الورقية:

- رقم الإجراء: كود يصل إلى 7 أرقام يدخله الطبيب يدويًا في الوصفة الطبية المقدمة من المريض.
- الرقم المرجعي: كود يصل إلى 7 أرقام رمز فريد مطبوع على الوصفة كرقم وصفة طبية.
- الطبيب: القائمة المنسدلة للأطباء المتاحين في النظام. يجب على الصيدلي اختيار طبيب الوصفة.
- تاريخ الطلب: تاريخ الوصفة.
- المركز: قائمة منسدلة للمنشآت التي يعمل بها الطبيب المختار.
- الوصفة المرفقة: خيار لإرفاق الوصفة نفسها كدليل.

(الشكل ١٨)

**ملاحظة:** لابد للصيدلي من صرف دواء واحد فقط لكل طلب.

لا يمكن للصيدلي إدخال أرقام عشرية أو أحرف خلال إدخال مدة العلاج للدواء المختار كما في الشكل ١٩

(الشكل ١٩)



- الحد الأقصى المسموح به لعدد أيام العلاج هو ٣٠ يوماً كما في الشكل ٢٠

The screenshot shows the medication details for ketoconazole 2% Shampoo (Topical). The treatment duration is set to 7 days. A red box highlights the duration field with a warning icon and the text: "الحد الأقصى المسموح به 30". The quantity is set to 0.00.

(الشكل ٢٠)

- الحد الأقصى المسموح به لعدد الأسابيع المختارة للعلاج هو ٤ أسابيع كما في شكل ٢١

The screenshot shows the medication details for ketoconazole 2% Shampoo (Topical). The treatment duration is set to 4 weeks. A red box highlights the duration field with a warning icon and the text: "الحد الأقصى المسموح به 4". The quantity is set to 0.00.

(الشكل ٢١)

- الحد الأقصى المسموح به لعدد الأشهر المختارة للعلاج هو شهر واحد كما في الشكل ٢٢

The screenshot shows the medication details for ketoconazole 2% Shampoo (Topical). The treatment duration is set to 1 month. A red box highlights the duration field with a warning icon and the text: "الحد الأقصى المسموح به 1". The quantity is set to 0.00.

(الشكل ٢٢)

- لا يمكن اختيار تاريخ الطلب ليكون تاريخ في المستقبل كما في الشكل ٢٣

(الشكل ٢٣)

- لا يمكن للصيدي أن يقوم برفع ملف حجمه أكبر من ٤ ميغا بايت، وأيضًا يجب أن يكون نوع الملف pdf. كما في الشكل ٢٤

(الشكل ٢٤)

- عند إرسال الوصفة الورقية، سيظهر للمستخدم تأكيد على الكمية المراد صرفها بحيث أنه لا يمكن للصيدي صرف أكثر من ٩٩ علبة ولا يمكن أن تكون الكمية المصروفة تساوي الصفر.

(الشكل ٢٥)

○ نموذج يوضح شكل الوصفة الورقي لخدمة وصفتي (الشكل ٤٥)




### نموذج وصفتي (ورقي)

( رمز الدواء : )  
تنبه! جميع الحقول إجبارية لوصف الوصفة

#### بيانات المريض Patient Information

الوزن Weight	الطول Height	العمر Age	الجنس Sex	Patient ID	رقم هوية المريض	Patient full name	اسم المريض الكامل
<input type="checkbox"/> لا - No <input type="checkbox"/> نعم - Yes		أمراض الكبد - Liver disease		<input type="checkbox"/> لا - No <input type="checkbox"/> نعم - Yes		أمراض الكلى - Kidney disease	

#### التشخيص Diagnosis

#### الحساسية Allergy

#### تفاصيل الوصفة Prescription Details

اسم الدواء العلمي Drug Generic Name دواء واحد فقط / Only One Drug To add drug Use New Rx form	دواعي الاستعمال Indication	الجرعة Dosage	المدة Duration	تكرار الاستعمال Frequency	التسمية كالتالي من الصيدلية Trade Name by Pharmacy (تعبأ من قبل الصيدلي)

#### بيانات المركز الصحي والطبيب PHC and doctor Details

اسم الطبيب Doctor's Name	هوية الطبيب Doctor's ID	اسم المستشفى / مركز الرعاية الأولية Hospital/PHC name
التاريخ / / Date: / /		التوقيع Stamp/Signature

#### لإستخدام الصيدليات المشاركة في وصفتي فقط Pharmacy use Only

اسم الصيدلية Pharmacy Name	اسم الصيدلي Pharmacist Name	هوية الصيدلي Pharmacist's ID	التوقيع Stamp/Signature

#### تعليمات هامة:

- 1 - يجب أن تحتوي كل وصفة ورقية على دواء واحد فقط.
- 2 - لن يتم صرف الوصفة من غير رمز الجسر.
- 3 - يجب أن يتم صرف الوصفة خلال ٢٤ ساعة من كتابة وصفة الطبيب.
- 4 - الحد الأعلى للجرعة الموصوفة وفترة الاستخدام من قبل الطبيب لا تتجاوز شهر واحد في النموذج الورقي.
- 5 - لا يسمح بطلب إعادة الصرف من قبل الطبيب في النموذج الورقي.
- 6 - يجب أن يلتزم الصيدلي بصرف كامل الكمية و لا يسمح بالصرف الجزئي.
- 7 - في حال واجهت مشكلة في صرف الدواء، التواصل مع مركز خدمة العملاء، لوصفتي 932 0000 92.

ملحظة : أي كشط أو تعديل في هذا النموذج يلغيه.



920000932 | @Wasfaty\_SA | www.wasfaty.sa



For a good experience with Wasfaty service, we recommend you to use the latest versions of this browsers) Microsoft Edge, Google Chrome, Firefox (taking in consideration that internet explorer browser is not fully supported by Microsoft anymore.

## Main Changes:

### Show alternative drug:

In downloading an e-Prescription and selecting trade drugs from the drop-down list of the prescribed generic medications, you will see an option of showing alternative drugs that you can select in case you want to offer the patient an alternative drug rather than the available drugs in the list.

In case of selecting from the alternative drugs it will be requested to enter the reason of selecting it Fig1

The screenshot shows two panels of the Wasfaty interface. The top panel displays a 'Generic Drug' selection screen for ramipril 5 mg. It includes a 'Please, select one of the Trades below:' dropdown menu with a 'Show Alternative Drug' button. The bottom panel shows the 'Change Drug' form, which includes a 'Change Drug reason' dropdown menu, a 'Change Drug Justification' text area, and a 'Prescribed Generic Drug' field.

(Fig 1)

### Generics should be alternatives if configured as below:

- Same Active Ingredients
- Same Route of Admin

### Generics is not an option for alternative if configured as below:

- Creams with different strength
- Ointments. (if Active ingredient and ROA is the same ointments could be an alternative for creams if a flag is checked at generic name level).
- Drug has special instruction.

- Those are the exact trade drugs (same strength) mapped with generic order (BisOPROLOI 5mg tablet oral). If pharmacist do not have any of those trades, the pharmacist can dispense an alternative. Fig2

**X Generic Drug:** bisOPROLOI 5 mg Film coated tablets [ORAL] Code: 133804-039-074

**⚠ Please, select one of the Trades below:**

Select Drug..

Show Alternative Drug

- cardicor* (bisOPROLOI) 5 mg Film coated tablets [oral]  
30'S, BLISTER PACK, JAZEERA PHARMACEUTICAL INDUSTRIES (JPI)- KSA Code: 0006-133804-03901
- selecta* (bisOPROLOI) 5 mg Film coated tablets [oral]  
30'S, BLISTER PACK, JAMJOOM PHARMACEUTICALS COMPANY - KSA Code: 0004-133804-03901
- bisolol* (bisOPROLOI) 5 mg Film coated tablets [oral]  
30'S, BLISTER PACK, ALTERNATIVE Code: 0257-133804-03901
- biscor* (bisOPROLOI) 5 mg Film coated tablets [oral]  
30'S, BLISTER PACK, ALTERNATIVE Code: 0212-133804-03901
- concor* (bisOPROLOI) 5 mg Film coated tablets [oral]  
30'S, BLISTER PACK, ALTERNATIVE Code: 0192-133804-03901

**Physician Instructions:** Take 5 MG(s) ORAL, 1 Time(s) After Breakfast per Day For 30 Day(s).  
تناول 5 ميلليجرام عن طريق الفم 1 مرة (ات) بعد الإفطار كل يوم لمدة 30 يوم (أيام).

**Pharmacist Instructions**

Packs	MG	Duration	Indications
150	30		N/A

Prescribed Qty: 150 MG

(Fig 2)

- If pharmacist need to show other alternatives mapped with ordered generics (BisOPROLOI 5mg tablet oral), the pharmacist needs to click on "show alternative drug" checkbox. Fig3

**✓ Trade Drug:** selecta (bisOPROLOI) 5 mg Film coated tablets [oral] 30'S, BLISTER PACK, JAMJOOM PHARMACEUTICALS COMPANY - KSA Code: 0004-133804-03901

**⚠ Please, select one of the Trades below:**

Select Drug..

Show Alternative Drug

- cardicor* (bisOPROLOI) 5 mg Film coated tablets [oral]  
30'S, BLISTER PACK, JAZEERA PHARMACEUTICAL INDUSTRIES (JPI)- KSA Code: 0006-133804-03901
- selecta* (bisOPROLOI) 5 mg Film coated tablets [oral]  
30'S, BLISTER PACK, JAMJOOM PHARMACEUTICALS COMPANY - KSA Code: 0004-133804-03901
- bisolol* (bisOPROLOI) 5 mg Film coated tablets [oral]  
30'S, BLISTER PACK, ALTERNATIVE Code: 0257-133804-03901
- biscor* (bisOPROLOI) 5 mg Film coated tablets [oral]  
30'S, BLISTER PACK, ALTERNATIVE Code: 0212-133804-03901
- concor* (bisOPROLOI) 5 mg Film coated tablets [oral]  
30'S, BLISTER PACK, ALTERNATIVE Code: 0192-133804-03901
- selecta* 2.5 mg Film coated tablets [oral]  
30'S, BLISTER PACK, JAMJOOM PHARMACEUTICALS COMPANY - KSA Code: 0004-133803-03901
- bisolol* 2.5 mg Film coated tablets [oral]  
30'S, BLISTER PACK, ALTERNATIVE Code: 0257-133803-03901
- concor* 2.5 mg Film coated tablets [oral]  
30'S, BLISTER PACK, ALTERNATIVE Code: 0192-133803-03901

**Physician Instructions:** Take 1 TABLET(s) ORAL, 1 Time(s) After Breakfast per Day For 30 Day(s).  
تناول 1 قرص عن طريق الفم 1 مرة (ات) بعد الإفطار كل يوم لمدة 30 يوم (أيام).

**Pharmacist Instructions**

Packs	TABLET	Duration	Indications
0	30		N/A

Prescribed Unit: MG  
(0 Packs = 0 TABLET)  
Prescribed Qty: 150 MG

(Fig 3)

- Instruction is built based on the trade selected by pharmacist, also the quantity is calculated based on the selected trade drug. Fig4

The screenshot displays two instances of the 'Drugs (1)' form. The top form is for 'cardicor (bisOPROLOL) 5 mg Film coated tablets'. It shows a quantity of 1 pack (30 tablets) and instructions: 'Physician Instructions: Take 1 TABLET(s) ORAL, 1 Time(s) After Breakfast per Day For 30 Day(s)'. The bottom form is for 'concor cor 2.5 mg Film coated tablets'. It shows a quantity of 2 packs (60 tablets) and instructions: 'Physician Instructions: Take 2 TABLET(s) ORAL, 1 Time(s) After Breakfast per Day For 30 Day(s)'. Both forms include a 'Change Drug' button and a 'Physician Instructions' field.

(Fig 4)

- Pharmacists need to choose the reason for selecting the alternative drug. Fig5

The screenshot shows the 'Alternative Drug reason' dropdown menu. The menu is open, displaying the following options: 'Requested Strength is not available', 'Requested dosage form is not available', 'Patient can't swallow tablets or capsules', 'SFDA removed this strength or dosage form from market', 'Patient prefer/tolerate this dosage form', and 'Others'. The 'Requested Strength is not available' option is highlighted with a red box.

(Fig 5)

- Special instructions coming from physician prescription. Pharmacist still able to add his instruction, quantity is reflected per pack as prescribed by the physician. Fig6

The screenshot shows the 'Drugs (1)' interface. The 'Drug' column displays 'Trade Drug: rofenac 1% Gel [topical] 50G, TUBE PACK, SPIMACO- KSA Code: 0002-149918-04301'. The 'Instructions' column contains 'Physician Instructions: Apply 2 time a day' and a '+ Pharmacist Instructions' button. The 'Unit' column shows 'Packs' and 'TUBE'. The 'Quantity' column has a dropdown menu set to '3', with a tooltip indicating '(3 Packs = 3 TUBE) Prescribed Qty: 3 TUBE'. The 'Duration' column is set to '30' and 'Indications' is 'N/A'.

(Fig 6)

- Instructions created based on the selected Trade drug, and the quantity calculated based on the same selected trade drug. Also, you notice that the alternative drug that can be dispensed. Fig7

The screenshot shows the 'Drugs' interface. The 'Drug' column displays 'Trade Drug: zovirax 200 mg/5ml Suspension [oral] 125ML BOTTLE PACK, SAUDI INTERNATIONAL TRADING COMPANY LTD (SITCO)- KSA Code: 0040-102409-11101'. The 'Instructions' column contains 'Physician Instructions: Take 20 MILLILITER (ML)(s) ORAL, 4 Time(s) per Day For 7 Day(s)' and a '+ Pharmacist Instructions' button. The 'Unit' column shows 'Packs' and 'BOTTLE'. The 'Quantity' column has a dropdown menu set to '5', with a tooltip indicating '(5 Packs = 5 BOTTLE) Prescribed Qty: 22400 MG'. The 'Duration' column is set to '7' and 'Indications' is 'N/A'. Below the main drug entry, a list of alternative drugs is shown, including 'virustat 200 mg Tablets [oral]', 'clovir 200 mg Tablets [oral]', 'zovirax 200 mg Tablets [oral]', and 'zovirax 800 mg Tablets [oral]'. The second drug entry shows 'Trade Drug: zovirax 800 mg Tablets [oral] 35'S, BLISTER PACK, SAUDI INTERNATIONAL TRADING COMPANY LTD (SITCO)- KSA Code: 0064-102401-11701' with 'Physician Instructions: Take 1 TABLET(s) ORAL, 4 Time(s) per Day For 7 Day(s)' and a quantity dropdown set to '1', with a tooltip indicating '(1 Packs = 35 TABLET) Prescribed Qty: 22400 MG'.

(Fig 7)

- At pharmacy side, flexible drugs have the instructions exactly as how physicians write instructions in special instructions field. Pharmacists can add their own instructions to be printed on label. Also, notice that quantity is also presented per pack Fig8

The screenshot shows a table with columns: Drug, Instructions, Unit, Quantity, Duration, Batch #, and Indications. The 'Drug' column contains a dropdown menu with several options, including 'apigen 0.3% Eye ointment [ocular]'. The 'Instructions' column contains the text 'Physician Instructions: Instill in affected eye 2 times a day'. The 'Unit' column shows 'Packs' and 'TUBE'. The 'Quantity' column shows a dropdown menu with '1' selected, and a note '(1 Packs = 1 TUBE)'. The 'Duration' column shows '7'. The 'Batch #' and 'Indications' columns are empty.

(Fig 8)

- System auto calculates the dose by volume unit (ml) and create the instruction and quantity based on the selected Trade Drug. Fig9

The screenshot shows a table with columns: Drug, Instructions, Unit, Quantity, Duration, Batch #, and Indications. The 'Drug' column contains a dropdown menu with several options, including 'ventolin 5 mg/ml Nebulizing solution'. The 'Instructions' column contains the text 'Physician Instructions: Inhale 1 MILLILITER (ML)(s) INHALATION, 4 Time(s) per Day For 5 Day(s)'. The 'Unit' column shows 'Packs' and 'BOTTLE'. The 'Quantity' column shows a dropdown menu with '1' selected, and a note '(1 Packs = 1 BOTTLE)'. The 'Duration' column shows '5'. The 'Batch #' and 'Indications' columns are empty.

(Fig 9)

## Possible Errors Messages:

- If the generic is infinitely divisible and the trade is not divisible Fig10

The error message is displayed in a red box with a close button (X) in the top right corner. The text reads: "1- Activity that contains Drug code (0085-106601-11701), Activity that contains Drug code (0085-106601-11701), The divisibility of selected trade is not matched with generic".

(Fig 10)


- is infinitely divisible and the divisible factor of the trade is 0.25 Fig11

The error message is displayed in a red box with a close button (X) in the top right corner. The text reads: "1- Activity that contains Drug code (0085-106601-11701), Activity that contains Drug code (0085-106601-11701), The divisibility of selected trade is not matched with generic".

(Fig 11)




- If the generic is infinitely divisible and the divisible factor of the trade is 0.5 Fig12




(Fig 12)

- If the divisible factor of the generic is 0.5 and the trade is not divisible Fig13




(Fig 13)

- If the divisible factor of the generic is 0.25 and the divisible factor of the trade is 0.5 Fig14



(Fig 14)


- If the divisible factor of the generic is 0.25 and the trade is not divisible Fig15



(Fig 15)

### Physician instructions conversion:

When you select between the available trades under for the prescribed medications you will notice that the drug dosage instructions get changed depending on the drug volume of the trade drug selected. Fig16




(Fig 16)

### Paper Prescription

This is a function added in the system as a contingency plan to use eRx paper form whenever needed.

You as a pharmacist will be able to dispense paper prescriptions whenever the function is activated by the system admins.

Once the function is activated it will show up on the pharmacist side tabs as below: Fig17



(Fig 17)

Through the Paper prescription option, you will be able to dispense the required medications as per the paper prescription provided by adding all the needed form data then clicking on dispense.

### Paper prescription Details:

- **Procedure code:** Up to 7 numbers Code entered by the doctor in the prescription provided from the patient.
- **eRx Number:** Up to 7 numbers unique Code Printed as a Prescription number.
- **Physician:** Drop down list for the available physicians in the system. Pharmacist should select the prescribing physician.
- **Date ordered:** Date of the prescription.
- **Facility:** Dropdown list of the selected physician facilities.
- **Attached prescription:** Attaching option to attach the prescription itself as a proof.

The screenshot shows the 'Paper Prescription' form in the eRx Pharmacy system. It features a search bar for patients, a 'New Patient' button, and a 'Paper Prescription Details' section with fields for Procedure Code, eRx Number, Physician, Date Ordered, and Facility. There is also an 'Attached Prescription' section with an 'Upload Attachment' button. Below these are sections for 'Diagnosis (0)' and 'Drugs (0)'. At the bottom, there are 'Dispense' and 'Cancel' buttons.

(Fig 18)

**Note:** Pharmacist can dispense only one drug per request.

- The pharmacist can't enter decimal numbers or letters while entering the duration of the selected drug.  
Fig19

The screenshot shows the 'Drugs (0)' section of the form. It displays drug information for 'Trade Drug: avoral 2% Shampoo [topical] 120ML, BOTTLE PACK, MIDDLE EAST PHARMACEUTICAL INDUSTRIES CO. LTD (MECP)- KSA Code: 0010-148805-09201'. Below this, there are 'Instructions' and 'Special Instructions' fields. The 'Instructions' field shows 'Wash BOTTLE(s) 2 Time(s) per For Day(s), Route of Admin: TOPICAL'. A red error message 'Integers only!' is displayed below the quantity field. At the bottom right, the 'Total Quantity' is shown as 0.00 BOTTLE(s).

(Fig 19)

- The maximum number of days allowed for the treatment by days are 30 days. Fig20

The screenshot shows a web interface for entering drug prescriptions. The 'Drug name' section is populated with 'Trade Drug: avoral 2% Shampoo [topical] 120ML, BOTTLE PACK, MIDDLE EAST PHARMACEUTICAL INDUSTRIES CO. LTD (MECP)- KSA Code: 0010-148805-09201' and 'Generic Drug: ketoconazole 2% Shampoo [TOPICAL] Code: 148805-092-092'. Below this, there are fields for 'Wash', 'BOTTLE(s)', 'Time(s)', 'Dose Timing', 'per', 'Day', 'For', and 'Day(s)'. The 'For' field contains the value '4', and the 'Day(s)' field is empty. A red error message is displayed below the 'For' field: 'Max value must be 30'. The 'Route of Admin' is set to 'TOPICAL'. At the bottom right, there is a 'Total Quantity' field with the value '0.00' and a 'BOTTLE(s)' unit.

(Fig 20)

- The maximum number of weeks allowed for treatment by weeks are 4 weeks. Fig21

The screenshot shows the same web interface as Fig 20, but with the 'Day(s)' field replaced by 'Week(s)'. The 'For' field is empty, and the 'Week(s)' field contains the value '4'. A red error message is displayed below the 'For' field: 'Max value must be 4'. The 'Route of Admin' is set to 'TOPICAL'. At the bottom right, there is a 'Total Quantity' field with the value '0.00' and a 'BOTTLE(s)' unit.


(Fig 21)

- The maximum number of months allowed for treatment is 1 month. Fig22

The screenshot shows the same web interface as Fig 20 and Fig 21, but with the 'Week(s)' field replaced by 'Month(s)'. The 'For' field is empty, and the 'Month(s)' field contains the value '1'. A red error message is displayed below the 'For' field: 'Max value must be 1'. The 'Route of Admin' is set to 'TOPICAL'. At the bottom right, there is a 'Total Quantity' field with the value '0.00' and a 'BOTTLE(s)' unit.

(Fig 22)


- The selected ordered date cannot be in the future. Fig23



The screenshot shows the 'Paper Prescription Details' form. It includes fields for Procedure Code, eRx Number, Physician, Date Ordered, and Facility. The 'Date Ordered' field is set to 24/12/2020. A red error message is displayed below the date field: 'Sorry, date could not be in the future.' There is also an 'Attached Prescription' section with an 'Upload Attachment' button.

(Fig 23)


- The pharmacist cannot upload the attachment if the file size larger than 4 MB, and the file type must be pdf. Fig24



The screenshot shows the 'Paper Prescription Details' form with a red error message at the top: 'Sorry, the size of the file exceeding the max size allowed which 4000000 byte'. The 'Date Ordered' field is set to 27/10/2000. The 'Attached Prescription' section is visible with the 'Upload Attachment' button.

(Fig 24)

- When submitting the paper prescription, the user will see a confirmation pop up of the quantity to be dispensed, so that the pharmacist cannot dispense more than 99 packs and the dispensed quantity cannot be equal to zero. Fig25



The screenshot shows a confirmation dialog box with the text: 'you are going to dispense 66 Pack, are you sure?'. The number '66' is in a text input field. Below the input field, there is a red error message: 'non zero 2 digit number allowed'. At the bottom right, there are 'Ok' and 'Cancel' buttons.

(Fig 25)

Example for Wasfaty's paper prescription form (fig 46) .




### نموذج وصفتي (ورقي)

تنبه: جميع الحقول اجبارية لصرف الوصفة

رمز الجزء: ( )

#### بيانات المريض

Weight الوزن	Height الطول	Age العمر	Sex الجنس	Patient ID	رقم هوية المريض	Patient full name	اسم المريض الثلاثي
<input type="checkbox"/> No - لا <input type="checkbox"/> Yes - نعم		Liver disease - أمراض الكبد		<input type="checkbox"/> No - لا <input type="checkbox"/> Yes - نعم		Kidney disease - أمراض الكلى	

#### التشخيص

Diagnosis

#### الحساسية

Allergy

#### تفاصيل الوصفة

اسم الدواء العنصري Drug Generic Name دواء واحد فقط / To add drug Use New RX form	دواعي الاستخدام Indication	الجرعة Dosage	المدة Duration	تكرر الاستخدام Frequency	الاسم التجاري من الصيدلية Trade Name و Pharmacy (تعباً من قبل الصيدلي)
--	-------------------------------	------------------	-------------------	-----------------------------	--

#### بيانات المركز الصحي والطبيب

Doctor's Name اسم الطبيب	Doctor's ID هوية الطبيب	Hospital/PHC name اسم المستشفى / مركز الرعاية الأولية
Date: Time:	Stamp/Signature التوقيع	

#### لإستخدام الصيدليات المشاركة في وصفتي فقط

Stamp/Signature التوقيع	Pharmacist's ID هوية الصيدلي	Pharmacist Name اسم الصيدلي	Pharmacy Name اسم الصيدلية
----------------------------	---------------------------------	--------------------------------	-------------------------------

#### تعليمات هامة:

- 1 - يجب أن تحتوي كل وصفة وهدية على دواء واحد فقط.
- 2 - لن يتم صرف الوصفة من غير رمز الجزء.
- 3 - يجب أن يتم صرف الوصفة خلال ٢٤ ساعة من كتابة وصفة الطبيب.
- 4 - الحد الأعلى للجرعة الموصوفة وفترة الاستخدام من قبل الطبيب لا تتجاوز شهر واحد في النموذج الورقي.
- 5 - لا يسمح بطلب إعادة الصرف من قبل الطبيب في النموذج الورقي.
- 6 - يجب أن يلتزم الصيدلي بصرف كامل الكمية و لا يسمح بالصرف الجزئي.
- 7 - في حال واجهت مشكلة في صرف الدواء الرجاء التواصل مع مركز خدمة العملاء، لوصفتي 92 0000 92.

ملاحظة : أي كسب أو تعجيل في هذا النموذج يلغى.



920000922 | @Wasfaty\_SA | www.wasfaty.sa

Help and Support  
Best answers to use the platform

**92 0000 932**  
[www.wasfaty.sa](http://www.wasfaty.sa)  
📺 📱 wasfaty\_sa



Firefox

Google Chrome

Microsoft Edge

وطني  
**wasfaty**

